

About us

ALL FINE ELECTRIC CO.,LIMITED

Specializing in manufacturing stainless steel hardware and plastic hardware, our main series currently include **stainless steel ties, stainless steel banding and strapping, stainless steel buckles, stainless steel cable tie tools, nylon cable ties and clips, plastic screws and nails, cable tie mounts and sealing products.**

we have secured long-term supply contracts with several clients in the North American and European markets. In order to offer buyers the largest product range, apart from our existing series we also offer an OEM / ODM service for completing customized requirements.

Superior quality standards and competitive prices are our main advantages over other manufacturers, in addition to our excellent after-sales service and guaranteed on-time delivery. If you are interested in any of our series, please feel free to contact us. We are looking forward to having the opportunity of being able to work with your company in the near future.

ALL FINE ELECTRIC CO.,LIMITED

Contact Person:Alina Wu (GENERAL MANAGER)

Cell:+86-18958771869

Fax/Tel:+86-577-62369229

E-mail: sscabletie@gmail.com

MSN:alinawu2010@hotmail.com

Skype:alinawu2010

Website:www.ss-cabletie.com

ADD:CHANGSHAN INDUSTRY ZONE, HONGQIAO TOWN,YUEQING CITY, ZHEJIANG PROVINCE,CHINA

Stainless Steel Cable Ties



Stainless Steel Cable Ties

Width : 4.6mm/7.9mm/10mm/12mm/16mm/20mm

Length : 150mm-2500mm

Tensile Strength : 600LB -1500LB

Thickness : 0.25mm-1.2mm

Material : Best 304 Grade Stainless Steel / 316 Grade Stainless Steel

Working Temperature : From -80 °C to + 538°C

Color : Natural/Black/Colored

Feature :

Self-Locking Mechanism Make Excellent Strength and Durability

Properties : Security , High Loop Tensile Strength ,Fire Resistance , Chemical Resistance, Smooth Rounded Edges Suitable For All Types of Cable Insulation

Application :

Mass Transit , Ship Building , Marine ,Mining , Power Station, Petro-Chemical,Offshore / Underground Cable Laying and Many More Industrial

Stainless Steel Ball Lock Cable Ties



**Uncoated Cable Ties
AFUN Series**



**Epoxy Coated Cable Ties
AFEC Series**



**Full Epoxy Coated Cable Ties
AFFEC Series**

Type	Width (mm)	Length (mm)	Thickness (mm)	Max. Bundle Dia. (mm)	Min Loop Tensile strength (Lb)	Quantity /carton
4.6x150	4.6	150	0.25	37	600	15000
4.6x200	4.6	200	0.25	50	600	10000
4.6x250	4.6	250	0.25	63	600	10000
4.6x300	4.6	300	0.25	76	600	5000
4.6x350	4.6	350	0.25	89	600	5000
4.6x400	4.6	400	0.25	102	600	5000
4.6x450	4.6	450	0.25	115	600	4000
4.6x500	4.6	500	0.25	128	600	4000
7.9x150	7.8	150	0.25	37	800	5000
7.9x200	7.8	200	0.25	50	800	5000
7.9x250	7.8	250	0.25	63	800	4000
7.9x300	7.8	300	0.25	76	800	3000
7.9x350	7.8	350	0.25	89	800	3000
7.9x400	7.8	400	0.25	102	800	3000
7.9x450	7.8	450	0.25	115	800	2500
7.9x500	7.8	500	0.25	128	800	2500
7.9x550	7.8	550	0.25	141	800	2500
7.9x600	7.8	600	0.25	154	1200	2500
12x150	12	150	0.35	37	1200	2500
12x200	12	200	0.35	50	1200	2500
12x250	12	250	0.35	63	1200	2500
12x300	12	300	0.35	76	1200	2000
12x350	12	350	0.35	89	1200	2000
12x400	12	400	0.35	102	1200	1500
12x450	12	450	0.35	115	1200	1500
12x500	12	500	0.35	128	1200	1000
12x550	12	550	0.35	141	1200	1000
12x600	12	600	0.35	154	1200	1000
15x200	15	200	0.35	50	1500	1500
15x250	15	250	0.35	63	1500	1500
15x300	15	300	0.35	76	1500	1000
15x350	15	350	0.35	89	1500	1000
15x400	15	400	0.35	102	1500	1000
15x450	15	450	0.35	115	1500	1000
15x500	15	500	0.35	128	1500	1000
15x550	15	550	0.35	141	1500	1000
15x600	15	600	0.35	154	1500	1000
15x650	15	650	0.35	167	1500	800
15x700	15	700	0.35	180	1500	800
15x800	15	800	0.35	193	1500	800
15x1000	15	1000	0.35	206	1500	500

PVC Coated Stainless Steel Cable Ties

AFPC Series



Type	Width (mm)	Length (mm)	Thickness (mm)	Max. Bundle Dia.(mm)	Min Loop Tensile strength (Lb)	Quantity /carton
5.6x150	5.6	150	1.2	37	350	15000
5.6x200	5.6	200	1.2	50	350	10000
5.6x250	5.6	250	1.2	63	350	10000
5.6x300	5.6	300	1.2	76	350	5000
5.6x350	5.6	350	1.2	89	350	5000
5.6x400	5.6	400	1.2	102	350	5000
5.6x450	5.6	450	1.2	115	350	4000
5.6x500	5.6	500	1.2	128	350	4000
5.6x550	5.6	550	1.2	141	350	2500
5.6x600	5.6	600	1.2	154	350	2500
5.6x650	5.6	650	1.2	167	350	2000
5.6x700	5.6	700	1.2	180	350	2000
9x150	9	150	1.2	37	450	5000
9x200	9	200	1.2	50	450	5000
9x250	9	250	1.2	63	450	4000
9x300	9	300	1.2	76	450	3000
9x350	9	350	1.2	89	450	3000
9x400	9	400	1.2	102	450	3000
9x450	9	450	1.2	115	450	2500
9x500	9	500	1.2	128	450	2500
9x550	9	550	1.2	141	450	2500
9x600	9	600	1.2	154	450	2500
9x650	9	650	1.2	167	450	2000
9x700	9	700	1.2	180	450	2000
12x150	13	150	1.2	37	660	5000
12x200	13	200	1.2	50	660	5000
12x250	13	250	1.2	63	660	2500
12x300	13	300	1.2	76	660	2500
12x350	13	350	1.2	89	660	2000
12x400	13	400	1.2	102	660	1500
12x450	13	450	1.2	115	660	1500
12x500	13	500	1.2	128	660	1000
12x550	13	550	1.2	141	660	1000
12x600	13	600	1.2	154	660	1000
12x700	13	700	1.2	180	660	800
16x250	16	250	1.2	63	890	3000
16x300	16	300	1.2	76	890	2500
16x350	16	350	1.2	89	890	2500
16x400	16	400	1.2	102	890	1000
16x450	16	450	1.2	115	890	1000
16x500	16	500	1.2	128	890	1000
16x550	16	550	1.2	141	890	1000
16x600	16	600	1.2	154	890	1000
16x700	16	700	1.2	180	890	800
16x800	16	800	1.2	193	890	800
16x1000	16	1000	1.2	206	890	500

Stainless Steel Cable Ties Wing Lock Type



**Uncoated Cable Ties Wing Lock Type
AFUN-WL Series**



**Epoxy Coated Cable Ties Wing Lock Type
AFEC-WL Series**

Type	Width (mm)	Length (mm)	Thickness (mm)	Max. Bundle Dia. (mm)	Min Loop Tensile strength (Lb)	Quantity /carton
12x150	12	150	0.35	37	1200	2500
12x200	12	200	0.35	50	1200	2500
12x250	12	250	0.35	63	1200	2500
12x300	12	300	0.35	76	1200	2000
12x350	12	350	0.35	89	1200	2000
12x400	12	400	0.35	102	1200	1500
12x450	12	450	0.35	115	1200	1500
12x500	12	500	0.35	128	1200	1000
12x550	12	550	0.35	141	1200	1000
12x600	12	600	0.35	154	1200	1000
15x200	15	200	0.35	50	1500	1500
15x250	15	250	0.35	63	1500	1500
15x300	15	300	0.35	76	1500	1000
15x350	15	350	0.35	89	1500	1000
15x400	15	400	0.35	102	1500	1000
15x450	15	450	0.35	115	1500	1000
15x500	15	500	0.35	128	1500	1000
15x550	15	550	0.35	141	1500	1000
15x600	15	600	0.35	154	1500	1000
15x650	15	650	0.35	167	1500	800
15x700	15	700	0.35	180	1500	800
15x800	15	800	0.35	193	1500	800
15x1000	15	1000	0.35	206	1500	500

PVC Coated Stainless Steel Cable Ties Wing Lock Type

AFPC-WL Series



Type	Width (mm)	Length (mm)	Thickness (mm)	Max. Bundle Dia.(mm)	Min Loop Tensile strength (Lb)	Quantity /carton
12x150	13	150	1.2	37	660	5000
12x200	13	200	1.2	50	660	5000
12x250	13	250	1.2	63	660	2500
12x300	13	300	1.2	76	660	2500
12x350	13	350	1.2	89	660	2000
12x400	13	400	1.2	102	660	1500
12x450	13	450	1.2	115	660	1500
12x500	13	500	1.2	128	660	1000
12x550	13	550	1.2	141	660	1000
12x600	13	600	1.2	154	660	1000
12x700	13	700	1.2	180	660	800
16x250	16	250	1.2	63	890	3000
16x300	16	300	1.2	76	890	2500
16x350	16	350	1.2	89	890	2500
16x400	16	400	1.2	102	890	1000
16x450	16	450	1.2	115	890	1000
16x500	16	500	1.2	128	890	1000
16x550	16	550	1.2	141	890	1000
16x600	16	600	1.2	154	890	1000
16x700	16	700	1.2	180	890	800
16x800	16	800	1.2	193	890	800
16x1000	16	1000	1.2	206	890	500

Stainless Steel Ladder Single Barb Cable Ties



**Uncoated Ladder Single Barb Cable Ties
AFUN-LDS Series**

**Epoxy Coated Ladder Single Barb Cable Ties
AFEC-LDS Series**

Type	Width (mm)	Length (mm)	Thickness (mm)	Max. Bundle Dia. (mm)	Min Loop Tensile strength (Lb)
7x150	150	7	0.25	33	1120
7x225	225	7	0.25	57	1120
7x300	300	7	0.25	81	1120
7x335	335	7	0.25	92	1120
7x400	400	7	0.25	113	1120
7x450	450	7	0.25	129	1120
7x490	490	7	0.25	141	1120
7x550	550	7	0.25	161	1120
7x600	600	7	0.25	176	1120
7x650	650	7	0.25	192	1120
7x700	700	7	0.25	208	1120
7x750	750	7	0.25	224	1120
7x800	800	7	0.25	240	1120

Stainless Steel Ladder Multi Lock Cable Ties



Uncoated Ladder Multi lock Cable Ties AFUN-LDM Series

Epoxy Coated Ladder Multi lock Cable Ties AFEC-LDM Series

Type	Width (mm)	Length (mm)	Thickness (mm)	Max. Bundle Dia.(mm)	Min Loop Tensile strength (Lb)
7x150	150	7	0.25	33	1120
7x225	225	7	0.25	57	1120
7x300	300	7	0.25	81	1120
7x335	335	7	0.25	92	1120
7x400	400	7	0.25	113	1120
7x450	450	7	0.25	129	1120
7x490	490	7	0.25	141	1120
7x550	550	7	0.25	161	1120
7x600	600	7	0.25	176	1120
7x650	650	7	0.25	192	1120
7x700	700	7	0.25	208	1120
7x750	750	7	0.25	224	1120
7x800	800	7	0.25	240	1120
12x150	150	12	0.25	33	1800
12x225	225	12	0.25	57	1800
12x300	300	12	0.25	81	1800
12x335	335	12	0.25	92	1800
12x400	400	12	0.25	113	1800
12x450	450	12	0.35	129	1800
12x490	490	12	0.35	141	1800
12x550	550	12	0.35	161	1800
12x600	600	12	0.35	176	1800
12x650	650	12	0.35	192	1800
12x700	700	12	0.35	208	1800

Stainless Steel Releasable Cable Ties



**Uncoated Releasable Cable Ties
AFUN-RE Series**



**Epoxy Coated Releasable Cable Ties
AFEC-RE Series**

Type	Width (mm)	Length (mm)	Thickness (mm)	Max. Bundle Dia.(mm)	Min Loop Tensile strength (Lb)
6.3x150	150	6.3	0.25	33	1000
6.3x190	190	6.3	0.25	46	1000
6.3x250	250	6.3	0.25	65	1000
6.3x300	300	6.3	0.25	81	1000
6.3x350	350	6.3	0.25	97	1000
6.3x400	400	6.3	0.25	113	1000
6.3x450	450	6.3	0.25	129	1000
6.3x490	490	6.3	0.25	141	1000
6.3x550	550	6.3	0.25	161	1000
6.3x600	600	6.3	0.25	176	1000
6.3x650	650	6.3	0.25	192	1000
6.3x700	700	6.3	0.25	208	1000
10x150	150	10	0.25	33	1200
10x190	190	10	0.25	46	1200
10x250	250	10	0.25	65	1200
10x300	300	10	0.25	81	1200
10x350	350	10	0.25	97	1200
10x400	400	10	0.25	113	1200
10x450	450	10	0.35	129	1200
10x490	490	10	0.35	141	1200
10x550	550	10	0.35	161	1200
10x600	600	10	0.35	176	1200
10x650	650	10	0.35	192	1200
10x700	700	10	0.35	208	1200

Stainless Steel Cable Ties Spring Type

AFUN-SP Series Uncoated



Type	Width (mm)	Length (mm)	Thickness (mm)	Max. Bundle Dia. (mm)	Min Loop Tensile strength (Lb)
4.6x150	4.6	150	0.25	37	600
4.6x200	4.6	200	0.25	50	600
4.6x250	4.6	250	0.25	63	600
4.6x300	4.6	300	0.25	76	600
4.6x350	4.6	350	0.25	89	600
4.6x400	4.6	400	0.25	102	600
4.6x450	4.6	450	0.25	115	600
4.6x500	4.6	500	0.25	128	600
7.9x150	7.8	150	0.25	37	800
7.9x200	7.8	200	0.25	50	800
7.9x250	7.8	250	0.25	63	800
7.9x300	7.8	300	0.25	76	800
7.9x350	7.8	350	0.25	89	800
7.9x400	7.8	400	0.25	102	800
7.9x450	7.8	450	0.25	115	800
7.9x500	7.8	500	0.25	128	800
7.9x550	7.8	550	0.25	141	800
7.9x600	7.8	600	0.25	154	800

Stainless Steel Marker Tags

AFUN-TG Series



Type	Width (mm)	Length (mm)
1050	10	50
1089	10	89
1270	12	7
1989	19	89
2080	20	80
2650	26	50
3060	30	60
12100	12	100
15110	15	110

Stainless Steel Banding Strap-Bare Type

Type	Width (mm)	Length (M)	Thickness (mm)	Fit Buckle	Suit Tool
8x0.3	8	30/50	0.3	L-8	LOG
10x0.3	10	30/50	0.3	L-10	LOG
12x0.5	12	25/30	0.5	L-12	LQA
15x0.4	15	25/30	0.4	L-15	LQA
16x0.76	16	25/30	0.76	L-16	LQA
19x0.76	19	25/30	0.76	L-19	LQL

AFUN-STR Series



Stainless Steel Strap-Epoxy Coated Type

8x0.3	8	30/50	0.3	L-8	LOG
10x0.3	10	30/50	0.3	L-10	LOG
12x0.5	12	25/30	0.5	L-12	LQA
15x0.4	15	25/30	0.4	L-15	LQA
16x0.76	16	25/30	0.76	L-16	LQA
19x0.76	19	25/30	0.76	L-19	LQL

AFEC-STR Series



Stainless Steel Strap-PVC Coated Type

9x1.2	9	20	1	L-9	LOG
13x1.2	13	20	1.2	L-13	LOB, LQA
16x1.2	16	20	1.2	L-16	LOB, LQA

AFPC-STR Series



Stainless Steel Buckle

Type	Width (mm)
8mm	8
10mm	10
12mm	12
13mm	13
15mm	15
16mm	16
19mm	19



L Series

Paper box packing



LY Series

Plastic box packing



Stainless Steel Banding & Strapping Tools



SS-01LQ
Suit for width 4.6mm-7.9mm



SS-02LQA
Suit for width 8mm-16mm



SS-03LQB
Suit for width 8mm-16mm



SS-04LQG
Suit for width 4.6-7.9mm



SS-05LQD
Suit for width 4.6mm-15mm



SS-06LQL
Suit for width 15mm-20mm